

Quick Start Guide


HX5 / LX5

Contents


1.	Product Overview	03
	1-1 HX5	03
	1-2 LX5	03
2.	Installing your device	04
	2-1 Hardware Installation	04
	2-2 Wall-mounting the device	06
3.	Network Setup	07
4.	Registering your device	10

1. Product Overview

1.1 HX5



1.2 LX5




2. Installing your Device


2. 1 Hardware Installation

- **Step 1** Connect an Ethernet cable from your router or hub to the device's LAN port. (By default, device will receive an IP address from a DHCP server.)
- **Step 2** Connect the HDMI cable from the device to your screen. (The default resolution will be the screen's native resolution.)
- **Step 3** If you'd like to configure system settings directly from the device, please connect a mouse to any of the USB ports.
- **Step 4** Connect the power adapter to a socket. Device will turn on automatically.

[HX5]




[LX5]





2. 2 Wall-Mounting the Device

[HX5]




[HX5]






3. Network Setup


When you move 1 the mouse connected to the device, 2 the device settings appear at the top of the screen.



When you click on 3 network settings, 4 Network & Internet menu appears.



When you click on 5 Ethernet, 6 Ethernet menu appears.



[DHCP (default)]


The device will get an IP address automatically after installation.

[Static IP]

When you click on 7 IP settings and select 8 static, 9 the network settings of this device, such as IP address, netmask, gateway, and DNS will appear.

After all inputs are completed, click 10 CONNECT.






4. Registering your Device

To find your Device ID, power on your device. 1 The 8-digit Device ID will be displayed on the screen after a few minutes.

Open a browser and type 2 https://cms.connectplayer.net in the address bar to access ConnectPlayer Manager.





- 3 Enter your email address and password and click Login.
- 4 Click New Device and 5 Enter the device ID

